



Inside Out Networks, a Digi International company, is the leader in enterprise USB connectivity. Digi International, the leader in Connectware, makes device networking easy by developing products and technologies that are cost-effective and easy to use. With over 20 million ports shipped worldwide, Digi has been offering the highest levels of performance, flexibility, and quality since 1985.

Digi International

11001 Bren Road E. Minnetonka, MN 55343 USA PH: 877-912-3444 952-912-3454 FX: 952-912-4952 Email: info@digi.com www.digi.com

Digi International GmbH Joseph-von-Fraunhofer Str. 23

D-44227 Dortmund Germany PH: +49-231-9747-0 FX: +49-231-9747-111 www.digi.de

Inside Out Networks

7004 Bee Caves Road Building 3, Suite 200 Austin, TX 78746 USA PH: 877-912-3444 512-306-0600 FX: 512-306-0694 Email: info@ionetworks.com www.ionetworks.com

Digi International (HK) Limited

Suite 1703-05, 17/F., K Wah Centre 191 Java Road North Point, Hong Kong PH: +852-2833-1008 FX: +852-2572-9989 www.digi.cn







© 2003 Digi International, Inc.

Digi, Digi International, the Digi logo, the Digi Connectware logo, Inside Out Networks, the Inside Out Networks logo, Rapidport/4, Edgeport, Wavespeed, Hubport, AnywhereUSB, Watchport, PowerBalance and USB Over IP are either trademarks or registered trademarks of Digi International, Inc. in the United States and other countries worldwide. Microsoft, Windows, and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

AiRiCOM

lle de France Paris et Nord

65 rue de la Libération - 60710 Chevrières tél 03.44.91.04.14 - fax 03.44.91.04.15 www.airicom.com - info@airicom.com

AURECO

Bretagne et Grand Ouest

La Ville Cognac - 56430 Mauron tél 02.97.22.79.72 - fax 02.97.22.90.51 www.aurecom.fr - info@aurecom.fr



Rhône Alpes Est et Sud-est

26 rue Bergson - 42000 Saint Etienne tél 04.77.92.03.56 - fax 04.77.92.03.57 www.rq2i.com - info@rq2i.fr

Votre interlocuteur



Groupe **2**△**3**

The leader in enterprise USB connectivity



7004 Bee Caves Road Building 3, Suite 200 Austin, TX 78746 US

USB Product Guide



The Leader in Enterprise USB Connectivity





www.ionetworks.com

Making DEVICE NETWORKING easy


Edgeport®



Edgeport USB-to-serial converters offer an easy Plug-and-Play solution for instant COM port expansion. An out-of-the-box (external) alternative to PCI cards, the Edgeport connects to the USB port of a PC, thin client, notebook or server, eliminating the need to open the chassis, reconfigure and reboot. Since flexibility and scalability are key, the Edgeport is available with a wide variety of options to meet specific application requirements:

- 1, 2, 4, 8, 12, or 16 serial ports
- Additional USB or parallel ports
- DB-9, DB-25, RI-45 connectors
- EIA-232, -422, -422/485 or EIA-232/422/485 MEI (software selectable)
- Rugged metal enclosure
- Captive (attached) cables

The Edgeport offers unmatched operating system support, including Windows NT 4.0, NT Embedded. XP, XP Embedded, CE, 2000, Me, 98, SE, 95; and Linux. Its reliable performance and feature-rich design make Edgeport ideal for point-of-sale, mobile computing, industrial automation, or any missioncritical application.










Edgeport/4m







Edgeport/8

301-1001-11 301-1001-11

301-1000-28 301-1000-28

Part Numbers	
lgeport Serial	
Edgeport/1 (1 social DR-0)	

	24gopo.i, 1 (1 solidi 25 /)	001 1001 11	001 1001 11
•	Edgeport/1 25-Unit Bulk Pack (25 ea. 301-1001-11)	301-1001-21	301-1001-21
•	Edgeport/1 100-Bulk Pack (100 ea. 301-1001-11)	301-1001-22	301-1001-22
•	Edgeport/1 Captive Cable (1 serial DB-9, attached 2m USB cable)	301-1001-15	301-1001-15
•	Edgeport/2 (2 serial DB-9)	301-1000-02	301-1000-02
•	Edgeport/4 (4 serial DB-9)	301-1000-04	301-1000-04
•	Edgeport/4/DB-25 (4 serial DB-25)	301-1016-01	301-1016-01
•	Edgeport/412 (4 USB, 12 serial DB-9)	301-1004-12	301-2004-12
•	Edgeport/412/DB-25 (4 USB, 12 serial DB-25)	301-1016-12	301-2016-12
•	Edgeport/416 (4 USB, 16 serial DB-9)	301-1000-10	301-2000-10
•	Edgeport/416/DB-25 (4 USB, 16 serial DB-25,)	301-1016-16	301-2016-16
•	Edgeport/8 (8 serial DB-9)	301-1002-08	301-1002-08
•	Edgeport/8/DB-25 (8 serial DB-25)	301-1016-08	301-1016-08
•	Edgeport/8r (8 serial RJ-45)	301-1002-14	301-1002-14
E	dgeport Compact		
•	Edgeport/2c (2 serial DB-9; captive 2m cable)	301-1003-10	301-1003-10
_	El 1/00 /0 : IDD 0 01/00 :: 0 111	201 1002 20	201 1000 00

• Edgeport/22c (2 serial DB-9; 2 USB; captive 2m cable) 301-1003-30 301-1003-30

Ec	lgeport Industrial		
•	Edgeport/1i (1 EIA-422/485 serial DB-9)	301-1001-31	301-1001-31
•	Edgeport/2i (2 EIA-422/485 serial DB-9)	301-1000-12	301-1000-12
•	Edgeport/2+2i (2 EIA-232 serial, 2 EIA-422 serial DB-9)	301-1022-04	301-1022-04

•	Eageport/ Z+ZI (Z EIA-Z3Z serial, Z EIA-4ZZ serial DB-9)	301-1022-04	301-1022-04
•	Edgeport/4i (4 EIA-422 serial DB-9)	301-1000-24	301-1000-24
•	Edgeport/4s MEI	301-1000-94	301-1000-94
	(4 EIA-232/422/485 serial DB-9 software-selectable)		

• Edgeport/8i (8 EIA-422 serial DB-9) **Edgeport Multi-Interface**

•	Edgeport/21 (2 serial DB-9, 1 parallel)	301-1000-21	301-1000-21
•	Edgeport/421 (4 USB, 2 serial DB-9, 1 parallel)	301-1004-21	301-2004-21


Edgeport Metal

	Edgeport/2m (2 serial DB-9; metal chassis)	301-1000-80	301-1000-80
•	Edgeport/4m (4 serial DB-9; metal chassis)	301-1000-81	301-1000-81


^{*} Call for bulk packaging and customized cable options.

Ports are EIA-232 unless otherwise specified.

USB Plus Series



The USB Series is available in externally powered hub versions and internally or externally powered card versions. Each solution provides four USB PlusPower ports that are compatible with both standard and powered USB connectors. The Edgeport/42+ also offers two EIA-232 serial ports, for added flexibility in peripheral device connectivity.




•	
Part Numbers	North Amorica International

USB Plus Serie	S		
 Edgeport/42+ 		301-1001-42	301-2001-42
(USB to 4-port po	wered USB hub; 2 serial DB-9; po	wer supply)	
 Hubport/4+ (USB to 4-port po 	wered USB hub; power supply)	301-1010-14	301-2010-14
 Hubport/PCI+ (PCI to 4-port pov 	vered USB card; optional power so	301-1149-01 upply sold separately)	301-1149-01
 Hubport/PCI+ (PCI to 4-port pov 	vered USB card; internally powere	301-1150-01 d)	301-1150-01
 Hubport/PCI+ (PCI to 4-port pov 	vered USB card with external pow	301-1151-01 er supply)	301-2151-01
 Hubport/PCI+ I (optional power s 	Power Supply upply for 301-1149-01)	301-9007-01	301-9207-01

Wavespeed[™]/S



Wavespeed/S wireless serial adapters offer secure wireless serial (EIA-232) data transfer via Bluetooth technology. Two Wavespeed/S units may be bonded, or paired, with a host PC and bar-code scanner, receipt printer, scale or other device to create a wireless link for instant serial cable replacement. One Wavespeed/S may be used in Serial Port Profile (SPP) server mode, which makes it available to communicate with a SPPcapable Bluetooth device such as a PDA, PLC or WAN radio. This standalone solution is transparent to the host application software – it acts as the serial cable and transfers data wirelessly without special software or drivers. Wavespeed/S instantly increases user mobility in mobile computing (delivery trucks, emergency vehicles), medical and point-of-sale applications.




W	Part Numbers	North America	International
w	avespeed/S		
	Wavespeed/S Class 1 (EIA-232 serial DB-9 to wireless; Class 1 radio)	301-1121-01	301-2121-01
•	Wavespeed/S Class 1 Pair (EIA-232 serial DB-9 to wireless; Class 1 radio; 2 units)	301-1123-01	301-2123-01
•	Wavespeed/S Class 2 (EIA-232 serial DB-9 to wireless; Class 2 radio)	301-1122-01	301-2122-01
•	Wavespeed/S Class 2 Pair (EIA-232 serial DB-9 to wireless; Class 2 radio; 2 units)	301-1124-01	301-2124-01

Watchport[™] **Series**



The Watchport Series is the first complete line of Plugand-Play USB devices for environmental monitoring. Vision components for surveillance, including the Watchport/V USB camera and Watchport motion detection software, may be paired with sensors to measure proximity, humidity, temperature or water to create a fully customized monitoring system. The Watchport Series can reduce total cost of ownership, extend life of equipment and reduce system downtime in mission-critical environments like kiosks, ATMs, server rooms, warehouses, data centers and more.




Part Numbers	North America	International
Watchport Series		
Watchport/H Humidity and Temperature Sensor	301-1141-01	301-1141-01
Watchport/P Proximity Sensor	301-1143-01	301-1143-01
Watchport/T Temperature Sensor	301-1144-01	301-1144-01
Watchport/V USB Camera	301-9010-01	301-9010-01
Watchport/V Lens Package (optional)	301-9015-01	301-9015-01
Watchport/W Water Detector	301-1145-01	301-1145-01
 Watchport Sentry Software License (single camera per host) 	301-9026-01	301-9026-01
 Watchport Console Software License (4 cameras per host) 	301-9027-01	301-9027-01
Watchport Console Plus Software License (8 cameras per host)	301-9028-01	301-9028-01
Watchport Console Extra License	301-9029-01	301-9029-01
(for additional Console connections)		
Additional USB sensors in development. Call for info	rmation.	

AnywhereUSB®



AnywhereUSB utilizes USB Over IP® technology to connect USB devices anywhere on a TCP/IP network, without a locally attached host PC. This networkenabled USB hub can simplify operations in retail or other mission-critical environments by allowing for centralized control, less user intervention and lower installation overhead, since no local PC is required. Plus, AnywhereUSB works with existing application software, further protecting a company's technology investment. AnywhereUSB/5 offers five USB ports to connect non-isochronous peripheral devices like bar-code scanners and receipt printers, as well as our Watchport/V USB camera, Watchport sensors and Edgeport USB-to-serial converters.



Part Numbers North America International

AnywhereUSB

AnywhereUSB/5 (Ethernet to 5 USB ports) 301-1130-01 301-2130-01
 Additional versions in development. Call for information.

Rapidport/4®



Wavespeed[™]/LAN



Rapidport/4 offers instant Plug-and-Play multi-modem expansion. This external, user-installable solution plugs into the USB port of a PC, thin client or server to provide four 56K V.90 modems. The on-board USB hub enables users to stack and daisy chain up to five units per system. Rapidport/4 gives network users access to ISP, fax and other group dial-up applications supported by Windows NT RAS.

Part Numbers	North America	International
!apidport		

Wavespeed/LAN offers a simple wireless solution for adding a PC, laptop or thin client to the Local Area Network (LAN). It combines the ease and reliability of Plug-and-Play USB connectivity with the flexibility and mobility of wireless networking. This external alternative to a NIC card reduces the costs and hassles of implementing a wired connection to the LAN. without sacrificing performance. Wavespeed/LAN is 802.11b compliant and is fully powered by the USB bus.

Part Numbers	North America	International

Wavespeed/LAN

Wavespeed/LAN (USB to Wireless Ethernet Adapter)

301-1117-01 not available

Hubport™

Rapidport/4 (four K56flex/V.90 modems, RJ-11)

* Rapidport/4 Dual Unit (2 Rapidport/4 modules)



301-1012-04 301-2012-04

301-1012-08 301-2012-08

The Hubport is an industrial-grade solution for adding USB ports to a PC or server. Available in four- and seven-port models, the Hubport can be used to connect USB peripheral devices, or to stack and power any of our USB solutions.

Accessories



Our accessories make it easy to customize your product for any application. Cable, rack mount kits and shelves are available, as well as the USB Upgrade Kit and Edgeport/E USB Ethernet adapter.

Part Numbers	North America	International
lubnort		

Hubport/4 (4-port USB hub)

Hubport/7 (7-port USB hub)

lle de France **Airicom** Paris et Nord 65 rue de la Libération - 60710 Chevrières tél 03.44.91.04.14 - fax 03.44.91.04.15 www.airicom.com.-info@airicom.com Bretagne et Grand Ouest

La Ville Cognac - 56430 Mauron tél 02.97.22.79.72 - fax 02.97.22.90.51 www.aurecom.fr - info@aurecom.fr

Rhône Alpes Est et Sud-est 26 rue Bergson - 42000 Saint Etienne tél 04.77.92.03.56 - fax 04.77.92.03.57 www.rg2i.com - info@rg2i.fr

Votre interlocuteur Groupe 2∆R

301-1010-04 301-2010-04

301-1010-07 301-2010-07

Part Numbers North America Interno

USB Accessories			
•	Edgeport/E USB to Ethernet adapter	301-1050-01	301-1050-01
•	USB upgrade kit (PCI to USB 1.1 card)	301-1101-01	301-1101-01
•	1 meter (3.3 feet) A to B USB cable	301-9000-01	301-9000-01
•	2 meter (6.6 feet) A to B USB cable	301-9000-07	301-9000-07
•	3 meter (9.8 feet) A to B USB cable	301-9000-06	301-9000-06
•	4 meter (13.1 feet) A to B USB cable	301-9000-10	301-9000-10
•	5 meter (16.4 feet) A to B USB cable	301-9000-02	301-9000-02
•	5 meter (16.4 feet) USB repeater/extender cable	301-9002-01	301-9002-01
•	1.8 meter (6 feet) USB to parallel printer cable	301-9006-01	301-9006-01
•	Rack mount kit (19 inch shelf)	301-9001-01	301-9001-01
•	Small shelf mount bracket (mounts Edgeport/4-sized boxes to wall/shelf)	301-9003-01	301-9003-01
•	Large shelf mount bracket (mounts Edgeport/8-sized boxes to wall/shelf)	301-9004-01	301-9004-01

THE LEADER IN ENTERPRISE **USB CONNECTIVITY**

Innovation

From our EdgeUSB software that adds Plug-and-Play USB compatibility to Windows NT 4.0, to our patented USB Over IP technology, Inside Out Networks is dedicated to innovation in the USB connectivity market.

Mission-Critical Focus

Inside Out Networks solves connectivity challenges in enterprise environments like retail/POS, mobile computing, medical and industrial automation. Our solutions have been utilized in thousands of applications worldwide, including self check-out systems, ATMs, emergency vehicles, hospital rooms, warehouses and manufacturing facilities.

Leader in Enterprise USB Connectivity

What makes us the leader? Customer-driven product development. Complete Windows operating system compatibility. Feature-rich product design. An extensive range of USB and wireless solutions. And perhaps most importantly, reliable product performance.